

## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

103 VMAX Forte

UFI: DX80-T0JA-S007-M00R

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

### 1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG  
Street: Oskar-von-Miller-Str. 1  
Place: D-85235 Odelzhausen  
Telephone: +49 8134 9305-40      Telefax: +49 8134 5145  
e-mail: info@kiehl-group.com  
Contact person: Laboratory department  
Internet: www.kiehl-group.com  
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240  
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43  
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145  
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59  
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029  
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,  
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199  
Emergency telephone number for all other countries: +49/8134/9305-169

|                       |                       |                    |                             |
|-----------------------|-----------------------|--------------------|-----------------------------|
| KIEHL Austria GmbH    | Perfektastr. 57;      | A-1230 Wien        | Tel. +43 (0) 1 / 604 99 93  |
| KIEHL FRANCE S.A.R.L. | 5, rue de Londres;    | F-67670 Mommenheim | Tél. +33 (0) 3.88.59.52.25  |
| KIEHL Italia s.r.l.   | Via San Rocco, 101;   | I-16036 Recco (GE) | Tel. +39 / 0185 730 008     |
| KIEHL Schweiz AG      | St. Dionys-Str. 33;   | CH-8645 Jona       | Tel. +41 (0) 55 / 254 74 74 |
| KIEHL Hungary Kft.    | Felsőipari körút 3/ D | HU-2142 Nagytarcsa | Tel. +36 (0) 1 / 348-08 41  |
| KIEHL Middle East LLC | A8-LIU 48/49 - KIZAD  | Abu Dhabi, U.A.E.  | Tel. +971 2 550 33 96       |

**1.4. Emergency telephone number:** +49/89/19240 (germanophone and anglophone)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Sodium Hydroxide

**Signal word:** Danger

**Pictograms:**



## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 2 of 9

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

according to 648/2004/CE: nonionic surfactants 5-15%, amphoteric surfactants <5%, alkalis, complexing agents, additives, corrosion inhibitors, fragrances, dyes

##### Hazardous components

| CAS No     | Chemical name                                 |              |                  | Quantity    |
|------------|---|--------------|------------------|-------------|
|            | EC No   | Index No     | REACH No         |             |
|            | Classification (GB CLP Regulation)            |              |                  |             |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO |              |                  | 10 - < 15 % |
|            | 931-138-8                                     |              |                  |             |
|            | Acute Tox. 4, Eye Dam. 1; H302 H318           |              |                  |             |
| 1310-73-2  | Sodium hydroxide                              |              |                  | 1 - < 5 %   |
|            | 215-185-5                                     | 011-002-00-6 | 02-2119752469-26 |             |
|            | Skin Corr. 1A; H314                           |              |                  |             |

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No  | Chemical name                                 | Quantity    |
|------------|--|---|-------------|
|            | Specific Conc. Limits, M-factors and ATE   |   |             |
| 69011-36-5 | 931-138-8  | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | 10 - < 15 % |
|            | oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10  |   |             |
| 1310-73-2  | 215-185-5  | Sodium hydroxide                              | 1 - < 5 %   |
|            | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 |   |             |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Avoid contact with skin and eyes.

##### After inhalation

not hazardous by inhalation

##### After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

##### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

##### After ingestion

Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 3 of 9

#### **4.2. Most important symptoms and effects, both acute and delayed**

This information is not available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Show this safety data sheet to the doctor in attendance.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Any extinguishing means and measures are acceptable.

#### **5.2. Special hazards arising from the substance or mixture**

This information is not available.

#### **5.3. Advice for firefighters**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Avoid contact with skin, eyes and clothing.

##### **For non-emergency personnel**

Use personal protection equipment.

##### **For emergency responders**

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not flush into surface water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Never return spills in original containers for re-use.

#### **6.4. Reference to other sections**

Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Avoid contact with skin and eyes.

##### **Advice on protection against fire and explosion**

No special protective measures against fire required.

##### **Advice on general occupational hygiene**

General industrial hygiene practice.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 4 of 9

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.  
Do not store near acids.

#### Further information on storage conditions

Keep container tightly closed.  
Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

| CAS No    | Substance        | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|-----------|------------------|-----|-------------------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | -   | 2                 |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls

#### Appropriate engineering controls

Not required.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Safety glasses with side-shields conforming to EN166

##### Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

Not required

##### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
Colour: green  
Odour: characteristic

#### Test method

Melting point/freezing point: <0 °C  
Boiling point or initial boiling point and boiling range: >98 °C  
Flammability  
Solid/liquid: not applicable  
Lower explosion limits: not applicable  
Upper explosion limits: not applicable  
Flash point: >100 °C  
Auto-ignition temperature: >300 °C

**Safety Data Sheet**

according to UK REACH Regulation

**103 VMAX Forte**

Revision date: 12.12.2022

Product code: c1030\_sd

Page 5 of 9

|  |                                  |
|--|----------------------------------|
| Decomposition temperature:                     | not determined                   |
| pH-Value (at 20 °C):                           | > 13,5 K-QP1012C                 |
| Viscosity / kinematic:                         | not determined                   |
| Water solubility:<br>(at 20 °C)                | completely miscible              |
| Solubility in other solvents<br>not determined |                                  |
| Partition coefficient n-octanol/water:         | not determined                   |
| Vapour pressure:                               | not determined                   |
| Density (at 20 °C):                            | 1,15 g/cm <sup>3</sup> K-QP1012E |
| Relative vapour density:                       | not determined                   |

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

**Other safety characteristics**

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

This information is not available.

**10.2. Chemical stability**

This information is not available.

**10.3. Possibility of hazardous reactions**

This information is not available.

**10.4. Conditions to avoid**

Do not expose to temperatures above 35 °C.

**10.5. Incompatible materials**

This information is not available.

**10.6. Hazardous decomposition products**

No decomposition if stored and applied as directed.

**Further information**

Do not mix with other detergents or chemicals.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 6 of 9

| CAS No     | Chemical name                                 |                  |         |        |        |
|------------|---|------------------|---------|--------|--------|
|            | Exposure route                                | Dose             | Species | Source | Method |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO |                  |         |        |        |
|            | oral  | ATE 500<br>mg/kg |         |        |        |

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This information is not available.

##### Further information

Health injuries are not known or expected under normal use.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

Readily biodegradable, according to appropriate OECD test.

#### 12.3. Bioaccumulative potential

This information is not available.

#### 12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

This information is not available.

##### Further information

The organic ingredients can be biodegraded in a sewage plant after neutralization.

Chemical Oxygen Demand (COD): 515mg O2/g

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Safety Data Sheet**

according to UK REACH Regulation

**103 VMAX Forte**

Revision date: 12.12.2022

Product code: c1030\_sd

Page 7 of 9

**Disposal recommendations**

Container should be emptied thoroughly.  
Do not pour remains of product in large quantities into the sewage.

**List of Wastes Code - residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**List of Wastes Code - used product**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Clean container with water. Return cleaned containers to the company for recycling.  
Offer rinsed packaging material to local recycling facilities.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C5  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE, SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B  
Segregation group: alkalis

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Not required

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 8 of 9

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

#### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>



## Safety Data Sheet

according to UK REACH Regulation

### 103 VMAX Forte

Revision date: 12.12.2022

Product code: c1030\_sd

Page 9 of 9

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

|                     |                          |
|---------------------|--------------------------|
| Classification      | Classification procedure |
| Skin Corr. 1B; H314 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

|      |  |
|------|--|
| H302 | Harmful if swallowed.                    |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*