

according to UK REACH Regulation

## Kiehl-RapiDes-plus

Revision date: 12.12.2022

Product code: j3505\_sd

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Kiehl-RapiDes-plus

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Product for professional disinfection

Product for professional disinfection					
1.3. Details of the supplier of	<u>the safety data sheet</u>				
Company name:	JOHANNES	JOHANNES KIEHL KG			
Street:	Robert-Bosch-St	r. 9			
Place:	D-85235 Odelzh	ausen			
Telephone:	+49 8134 9305-0	)	Telefax: +49 8134 6466		
E-mail:	info@kiehl-group	o.com			
Contact person:	Laboratory depa	rtment			
Internet:	www.kiehl-group	.com			
Responsible Department:	Notrufnummer fü	r deutsch- und englischsprach	ge Länder: +49/89/19240		
	Vergiftungsinforr	nationszentrale (VIZ) Österreic	h: +43 1 406 43 43		
	Nationale Notruf	nummer für die Schweiz (Tox-Z	Zentrum Zürich): 145		
	Numéro d'urge	nce France: INRS: +33 (0) 1 4	5 42 59 59		
	Numero d' emerg	genza Italia: Centro Antiveleni -	20162 Milano: 02/66101029		
	ETTSZ /Egészsé	gügyi Toxikológiai Tájékoztató	Szolgálat/, 1096 Budapest,		
	Nagyvárad tér 2.	Ügyeleti telefonszám: +36 80	201-199		
	Eesti: Häirekes	kuse number: 112 / Mürgistuste	eabekeskuse number: 16662		
	Emergency telep	hone number for all other cour	tries: +49/8134/9305-169		
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93		
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25		
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008		
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74		
KIEHL Hungary Kft.	Felsöipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41		

# KIEHL Middle Éast LLC <u>1.4. Emergency telephone</u>

number:

+49/89/19240 (germanophone and anglophone) For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

Tel. +971 2 550 33 96

Abu Dhabi, U.A.E.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### **GB CLP Regulation**

Hazard components for labelling Ethyl Alcohol

Signal word:

**Pictograms:** 

Danger



A8-LIU 48/49 - KIZAD



## according to UK REACH Regulation

## **Kiehl-RapiDes-plus**

Revision date: 12.12.2022 Product code: j3505 sd Page 2 of 9 Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. **Precautionary statements** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep container tightly closed.

P403+P233

## 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## Chemical characterization

water-soluble solvents

#### Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64-17-5	ethanol; ethyl alcohol			60 - < 65 %
	200-578-6	603-002-00-5	01-2119457610-43	
Flam. Liq. 2, Eye Irrit. 2; H225 H319				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol; ethyl alcohol	60 - < 65 %		
inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg Eye Irrit. 2; H319: >= 50 - 100					

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No hazards which require special first aid measures.

#### After inhalation

Take the victim into fresh air.

## After contact with skin

Wash off with plenty of water.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

## After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

## 4.3. Indication of any immediate medical attention and special treatment needed



according to UK REACH Regulation

## **Kiehl-RapiDes-plus**

Revision date: 12.12.2022

Product code: j3505\_sd

Page 3 of 9

Show this safety data sheet to the doctor in attendance.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

#### 5.2. Special hazards arising from the substance or mixture

This information is not available.

## 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Avoid contact with eyes.

#### For non-emergency personnel

No special measures are necessary.

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not flush into surface water.

### 6.3. Methods and material for containment and cleaning up

### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation.

### Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition. Vapours may form explosive mixtures with air.

#### Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required. When using do not smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with oxidizing and self-igniting products.



## Kiehl-RapiDes-plus

Revision date: 12.12.2022

Product code: j3505\_sd

Page 4 of 9

(See also section 10)

## Further information on storage conditions

Keep away from heat and sources of ignition. Keep container tightly closed. Never return unused material to storage receptacle.

### 7.3. Specific end use(s)

This information is not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

## Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

## 8.2. Exposure controls

Appropriate engineering controls

Not required.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166

## Skin protection

Not required

## **Respiratory protection**

Not required

## Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless alcoholic		
			Test method
Melting point/freezing point:		<-40 °C	
Boiling point or initial boiling point and boiling range:		>78 °C	
Flammability:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		22 °C	
Auto-ignition temperature:		>200 °C	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		approx. 5,5	K-QP1012C
Viscosity / kinematic:		not determined	
Water solubility: (at 20 °C)		completely miscible	



	Kiehl-RapiDes-plus	
Revision date: 12.12.2022	Product code: j3505_sd	Page 5 of 9
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):		K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Information with regard to physical hazard class	es	
Explosive properties		
Not explosive		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not relevant		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Sublimation point:	not applicable	
Softening point:	not applicable	
Pour point:	not applicable	
Viscosity / dynamic:	not determined	
Flow time:	not determined	
SECTION 40, Stability and reactivity		

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This information is not available.

## 10.2. Chemical stability

This information is not available.

#### 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

## 10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## **Further information**

Do not mix with other detergents or chemicals.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



## Kiehl-RapiDes-plus

Revision date: 12.12.2022

Product code: j3505\_sd

Page 6 of 9

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
64-17-5	ethanol; ethyl alcohol						
	oral	LD50 mg/kg	6200	Rat	IUCLID		
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS		

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

#### Further information

Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
64-17-5	ethanol; ethyl alcohol	-		-	
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h Daphnia magna	IUCLID	

#### 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

#### 12.3. Bioaccumulative potential

This information is not available.

Partition coeffic	Partition coefficient n-octanol/water			
CAS No	Chemical name	Log Pow		
64-17-5	ethanol; ethyl alcohol	-0,31		

## 12.4. Mobility in soil

This information is not available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.



according to UK REACH Regulation

## **Kiehl-RapiDes-plus**

Revision date: 12.12.2022

Product code: j3505\_sd

Page 7 of 9

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

This information is not available.

#### Further information

Chemical Oxygen Demand (COD): 1289 mg O2/g

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

Lanu transport (ADR/RID)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	ll
Hazard label:	3



Kiehl-RapiDes-plus					
Revision date: 12.12.2022	Product code: j3505_sd	Page 8 of 9			
Special Provisions:	144				
Limited quantity:	1 L				
Excepted quantity:	E2				
EmS:	F-E, S-D				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user Not required					
14.7. Maritime transport in bulk according t	o IMO instruments				
Not relevant					
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU regulatory information					
Restrictions on use (REACH, annex XVII)					
Entry 3, Entry 40					
National regulatory information					
Water hazard class (D):	1 - slightly hazardous to water				
15.2. Chemical safety assessment					
Chemical safety assessments for sub-	Chemical safety assessments for substances in this mixture were not carried out.				

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



## according to UK REACH Regulation

## **Kiehl-RapiDes-plus**

Revision date: 12.12.2022

Product code: j3505\_sd

Page 9 of 9

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Flam. Lig: Flammable liquids Eye Irrit: Eye irritation

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)