

according to UK REACH Regulation

Kiehl-AciDes-plus

Revision date: 12.12.2022

Product code: j4022_sd

Page 1 of 10

.1. Product identifier				
Kiehl-AciDes-plus				
UFI:	RF30-E0CX-500)J-9470		
I.2. Relevant identified uses	of the substance or mixtu	re and uses advised against		
Use of the substance/mix	ture			
Product for professiona	al disinfection			
I.3. Details of the supplier of	the safety data sheet			
Company name:		S KIEHL KG		
Street:	Robert-Bosch-S	tr. 9		
Place:	D-85235 Odelzh	ausen		
Telephone:	+49 8134 9305-0	D	Telefax: +49 8134 6466	
E-mail:	info@kiehl-grou	o.com		
Contact person:	Laboratory depa	rtment		
Internet:	www.kiehl-group	o.com		
Responsible Department:	Notrufnummer fü	Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240		
	Vergiftungsinfor	mationszentrale (VIZ) Österreic	ch: +43 1 406 43 43	
		nummer für die Schweiz (Tox-2	,	
		ence France: INRS: +33 (0) 1 4		
		genza Italia: Centro Antiveleni		
		égügyi Toxikológiai Tájékoztató		
		. Ügyeleti telefonszám: +36 80		
		kuse number: 112 / Mürgistust		
	Emergency telep	phone number for all other cour	ntries: +49/8134/9305-169	
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93	
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25	
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008	
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74	
KIEHL Hungary Kft.	Felsöipari körút 3/ D A8-LIU 48/49 - KIZAD	HU-2142 Nagytarcsa Abu Dhabi, U.A.E.	Tel. +36 (0) 1 / 348-08 41 Tel. +971 2 550 33 96	

number:

For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Phosphoric Acid

Pictograms:

Signal word:



Danger



according to UK REACH Regulation

	Kiehl-AciDes-plus	
Revision date: 12.12.2022	Product code: j4022_sd	Page 2 of 10
Hazard statements		
H314	Causes severe skin burns and eye damage.	
Precautionary statemer	nts	
P280	Wear protective gloves/protective clothing/eve protection/face protection.	

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P308+P313 2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

P305+P351+P338

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, organic acids, water-soluble solvents, corrosion inhibitors, biocides, dyes, fragrances (Coumarin)

present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP F	Regulation)	· · · · · ·	
7664-38-2	Phosphoric acid			20 - < 25 %
	231-633-2	015-011-00-6	02-2119752438-31	
	Skin Corr. 1B; H314	•		
67-63-0	Isopropyl alcohol			5 - < 10 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2,	STOT SE 3; H225 H319 H336	•	
7173-51-5	didecyldimethylammoniu	m chloride		5 - < 10 %
	230-525-2	612-131-00-6	01-2119945987-15	
	Acute Tox. 4, Skin Corr. H400 H411	1B, Eye Dam. 1, Aquatic Acute 1, Aq	quatic Chronic 2; H302 H314 H318	
69011-36-5	i-C13-Fatty alcohol polyg	llycol ethers 5-12 EO		1 - < 5 %
	931-138-8			
	Acute Tox. 4, Eye Dam.	1; H302 H318	·	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE CAS No EC No Chemical name Quantity Specific Conc. Limits, M-factors and ATE 7664-38-2 231-633-2 Phosphoric acid 20 - < 25 % Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 230-525-2 7173-51-5 didecyldimethylammonium chloride 5 - < 10 % dermal: LD50 = >2000 mg/kg; oral: LD50 = 329 mg/kg Aquatic Acute 1; H400: M=10 69011-36-5 931-138-8 i-C13-Fatty alcohol polyglycol ethers 5-12 EO 1 - < 5 % oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10

SECTION 4: First aid measures

4.1. Description of first aid measures



Page 3 of 10

according to UK REACH Regulation

Kiehl-AciDes-plus Product code: j4022 sd

Revision date: 12.12.2022

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.



according to UK REACH Regulation

Kiehl-AciDes-plus

Revision date: 12.12.2022

Product code: j4022_sd

Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with alkalis

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required



according to UK REACH Regulation

Kiehl-AciDes-plus

Revision date: 12.12.2022

Product code: j4022_sd

Page 5 of 10

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: liauid Colour: red Odour: pleasant Test method Melting point/freezing point: <0 °C Boiling point or initial boiling point and >78 °C boiling range: Flammability: not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable Flash point: >60 °C Auto-ignition temperature: >200 °C Decomposition temperature: not determined pH-Value (at 20 °C): < 0,5 K-QP1012C Viscosity / kinematic: not determined Water solubility: completely miscible (at 20 °C) Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density (at 20 °C): 1,14 g/cm³ K-QP1012E Relative vapour density: not determined Particle characteristics: not applicable 9.2. Other information Information with regard to physical hazard classes Explosive properties Not explosive Self-ignition temperature Solid: not applicable not applicable Gas: Oxidizing properties Not relevant Other safety characteristics Evaporation rate: not determined Solid content: not determined Sublimation point: not applicable Softening point: not applicable Pour point: not applicable Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.



according to UK REACH Regulation

Kiehl-AciDes-plus Product code: j4022 sd

Revision date: 12.12.2022

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

alkalis

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7173-51-5	didecyldimethylammoniur	n chloride				
	oral	LD50 329 mg/kg	rat		OECD Test Guideline 401	
	dermal	LD50 >2000 mg/kg	rat			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO					
	oral	ATE 500 mg/kg				

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

11.2. Information on other hazards

Endocrine disrupting properties

Page 6 of 10



according to UK REACH Regulation

Kiehl-AciDes-plus

Revision date: 12.12.2022

Product code: j4022_sd

Page 7 of 10

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7173-51-5	didecyldimethylammoniun	n chloride					
	Acute fish toxicity	LC50	0,5 mg/l	96 h	Danio rerio (zebrafish)		
	Acute crustacea toxicity	EC50 mg/l	0,03	48 h	Daphnia		

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 548 mg O2/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION



according to UK REACH Regulation

Revision date: 12.12.2022	Kiehl-AciDes-plus Product code: j4022_sd	Page 8 of 10
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C1 Č	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1805	
14.2. UN proper shipping name:	PHOSPHORIC ACID SOLUTION	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
Excepted quantity: EmS:		
Segregation group:	F-A, S-B Acids	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user Not required		
14.7. Maritime transport in bulk according not applicable	to IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII).	
Entry 3, Entry 40, Entry 75	<i>,</i> .	
National regulatory information	0. skuisusku komendaus ta uutta	
Water hazard class (D):	2 - obviously hazardous to water	
<u>15.2. Chemical safety assessment</u> Chemical safety assessments for sub	estances in this mixture were not carried out.	
SECTION 16: Other information		

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

Kiehl-AciDes-plus

Revision date: 12.12.2022

Product code: j4022_sd

Page 9 of 10

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

according to UK REACH Regulation

Kiehl-AciDes-plus				
Revision date: 12.12.2022	Product code: j4022_sd	Page 10 of 10		
H319	Causes serious eye irritation.			
H336	May cause drowsiness or dizziness.			
H400	Very toxic to aquatic life.			
H411	Toxic to aquatic life with long lasting effects.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)